

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	113	(workflow\$1 with template \$1).clm.	US-PGPUB	OR	OFF	2009/03/02 16:49
L2	38	(workflow with (ID or identi \$6) with access\$3).clm.	US-PGPUB	OR	OFF	2009/03/02 16:50
L3	1087	((defin\$3 or set\$4 or configur \$3) with (profile\$1 or identi \$4) same template\$1).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 16:50
L4	4	((("simple object access protocol" or soap) same (((profile\$1 or (identi\$4 or ID)) near2 user\$1) with access\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 16:50
L5	2	((("simple object access protocol" or soap) same (((profile\$1 or (identi\$4 or ID)) near2 user\$1) with access\$3)).clm.	US-PGPUB	OR	OFF	2009/03/02 16:51
S1	82	workflow same soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 14:57
S2	1	S1 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:25
S3	578	workflow same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:53
S4	109	S3 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:07
S5	510	workflow and soap	US-PGPUB; USPAT	OR	OFF	2005/12/05 11:25
S6	24	S5 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:42

S7	5930	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S8	2796	715/513-515.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S9	363	718/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S10	445	719/316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S11	182	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S12	116	S11 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:52
S13	31	S12 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:50
S14	1	S9 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:51
S15	4	S10 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:52
S16	558	715/526.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:52

S17	102	S16 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:52
S18	78	S17 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:52
S19	15	S18 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:12
S20	2	"5999911".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:12
S21	1	"6516350".pn.	US-PGPUB; USPAT	OR	OFF	2005/12/07 14:16
S22	2118	"simple object access protocol"	US-PGPUB; USPAT	OR	OFF	2005/12/07 14:16
S23	92	S22 and @ad< "20010420"	US-PGPUB; USPAT	OR	OFF	2005/12/07 14:16
S24	5	S23 and microsoft.as.	US-PGPUB; USPAT	OR	OFF	2005/12/07 14:16
S25	667	workflow same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:17
S26	117	S25 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:18
S27	600	workflow and soap	US-PGPUB; USPAT	OR	OFF	2006/04/21 18:17
S28	121	(S26 S27) and @pd> "20051101"	US-PGPUB; USPAT	OR	OFF	2006/04/21 18:17
S29	25	S27 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:18
S30	10	(S26 S29) and @pd> "20051101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21

S31	6347	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S32	3036	715/513-515.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S33	200	S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S34	122	S33 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S35	593	715/526.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S36	113	S35 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S37	80	S36 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 18:21
S38	9	(S34 S37) and @pd> "20051101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S39	3037	(access\$3 with network) with (rules or policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:00
S40	28	S39 same XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:00

S41	2	S40 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:00
S42	18	("4920514" "5786816" "5826237" "5850221" "5898434" "5918208" "5930512" "5946659" "5953704" "5960403" "6037940" "6330569" "6438540" "6446256" "6480865" "6507857" "6535896" "6721747").PN. OR ("6968503").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/17 18:06
S43	762	workflow same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:07
S44	181	S43 same access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:07
S45	29	S44 and @ad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/17 18:07
S46	0	workflow with (ID or identi\$6) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:16
S47	168	workflow with (ID or identi \$6) with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:17
S48	32	S47 and @ad<"20001220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 12:17
S49	5	("5901287" "6104705" "6105006" "6487600" "20060195575").pn.	US-PGPUB; USPAT	OR	OFF	2007/02/10 14:50
S50	7283	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54

S51	3586	715/513-515.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S52	229	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S53	128	S52 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S54	693	715/526.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S55	127	S54 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S56	87	S55 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 14:54
S57	8	(S53 S56) and @pd> "20060901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S58	1	"6986138".pn.	US-PGPUB; USPAT	OR	OFF	2007/07/13 16:44
S59	5537	(defin\$3 or set\$4 or configur \$3) with (profile\$1 or identi \$4) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:15
S60	479	S59 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:13
S61	237	S60 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:13

S62	55	S61 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:16
S63	1433	(defin\$3 or set\$4 or configur \$3) with (profile\$1 or ((identi \$4 or ID) near2 user\$1)) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:18
S64	75	S63 and workflow\$1 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:16
S65	11	S64 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:16
S66	1433	(defin\$3 or set\$4 or configur \$3) with ((profile\$1 or (identi \$4 or ID) near2 user\$1)) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:19
S67	391	(defin\$3 or set\$4 or configur \$3) with ((profile\$1 or (identi \$4 or ID)) near2 user\$1) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:20
S68	501	(defin\$3 or set\$4 or configur \$3) with ((profile\$1 or (identi \$4 or ID)) near2 user\$1) same (template\$1 or workflow)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:20
S69	134	S68 same access\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:20
S70	39	S69 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:20
S71	1	"6662365".pn.	US-PGPUB; USPAT	OR	OFF	2007/10/27 10:36
S72	8046	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45

S73	4065	715/513-515.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S74	262	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S75	136	S74 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S76	775	715/526.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S77	151	S76 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S78	93	S77 and @ad< "20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:45
S79	13	(S75 S78) and @pd> "20070201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:46
S80	3634	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:46
S81	3	S80 and (workflow with callback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:48
S82	108	("simple object access protocol" or soap) and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:54

S83	14	S82 and @rlad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:56
S84	3262	("simple object access protocol" or soap) and (profile \$1 or (identi\$4 or ID)) near2 user\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:54
S85	332	("simple object access protocol" or soap) same (profile\$1 or (identi\$4 or ID)) near2 user\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:55
S86	42	("simple object access protocol" or soap) same (((profile\$1 or (identi\$4 or ID)) near2 user\$1) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:56
S87	0	S86 and @rlad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:56
S88	1124	("simple object access protocol" or soap) and (((profile\$1 or (identi\$4 or ID)) near2 user\$1) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S89	189	S88 and @rlad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:56
S90	189	S89 and @rlad<"20010420"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S91	160	S90 and (parent\$3 or child\$3 or kid\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:08
S92	125	S91 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:08

S93	84	S92 and (workflow or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 12:03
S94	2390	freund.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 12:03
S95	8	S94 and parents	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 12:05
S96	2	"5987611".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 12:05
S97	2	("20030105654" "6609198").pn.	US-PGPUB; USPAT	OR	OFF	2007/10/29 15:10
S98	1	"6662365".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:10
S99	1	"20020152254".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:23
S100	3298	709/225.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:27
S101	101	S100 and workflow	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:27
S102	103	S100 and workflow\$1	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:27
S103	28	S102 and @rlad<"20010420"	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:27
S104	541	workflow\$1 same (user near2 (id or identit\$3 or profile\$1))	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:48
S105	138	S104 and (access\$3 near resource)	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:48
S106	49	S105 and @rlad<"20010420"	US-PGPUB; USPAT	OR	OFF	2008/04/08 13:48
S107	514	(set\$4 or configur\$6) near2 access\$3 same (new near2 (identit\$3 or profile\$1 or user \$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:46
S108	82	S107 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:47

S109	42	S108 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:47
S110	37	S109 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:47
S111	5	S109 not S110	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:49
S112	181	S107 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:51
S113	51	S112 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:51
S114	14	S113 not S109	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:51
S115	3918	709/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:54
S116	94	S115 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:54
S117	28	S116 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:54
S118	1	"6779120".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:08
S119	1691	726/4.ccls.	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:15
S120	49	S119 and workflow	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:15

S121	13	S120 and @rlad<"20010420"	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:15
S122	2	("6662365" "5987611").pn.	US-PGPUB; USPAT	OR	OFF	2008/04/15 10:48
S123	296	workflow\$1 with creat\$3 with (access\$3 or rights or restrict \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:54
S124	57	S123 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:55
S125	1	"L57" and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:55
S126	42	S124 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:55
S127	36	S126 and @rlad<"20001201"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:56
S128	13	workflow\$1 with profile with creat\$3 with (access\$3 or rights or restrict\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:57
S129	13	S128 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:57
S130	8	S129 and @rlad<"20001201"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 10:57
S131	863	workflow\$1 with template\$1	US-PGPUB; USPAT	OR	OFF	2008/04/15 12:01
S132	155	S131 and @rlad<"20001229"	US-PGPUB; USPAT	OR	OFF	2008/04/15 12:01
S133	77	S132 and xml	US-PGPUB; USPAT	OR	OFF	2008/04/15 12:01
S134	29	S133 and (user near2 profile \$1)	US-PGPUB; USPAT	OR	OFF	2008/04/15 12:02

S135	29	S134 and @rlad<"20001229"	US-PGPUB; USPAT	OR	OFF	2008/04/15 12:02
S136	6	("2002/0152254").URPN.	USPAT	OR	OFF	2008/04/15 12:18
S137	1	"6067548".pn.	USPAT	OR	OFF	2008/04/15 12:23
S138	1	"5815152".pn.	USPAT	OR	OFF	2008/04/15 12:52
S139	1	"6823513".pn.	USPAT	OR	OFF	2008/04/15 12:53
S140	1	"6161139".pn. "20020143949".pn.	USPAT	OR	OFF	2008/04/15 13:00
S141	3	("2004003351" "20060212574" "6859783" "7120914").pn.	US-PGPUB; USPAT	OR	OFF	2008/04/26 13:28
S142	4	("20040003351" "20060212574" "6859783" "7120914").pn.	US-PGPUB; USPAT	OR	OFF	2008/04/26 13:28
S143	48	automat\$3 same workflow\$1 same (access near2 control \$4) same (user\$1 or profile \$1)	US-PGPUB; USPAT	OR	OFF	2008/09/29 18:33
S144	21	S143 and (@ad<"20010420" @rlad<"20010420")	US-PGPUB; USPAT	OR	OFF	2008/09/29 18:34
S145	1	"7308702".pn.	US-PGPUB; USPAT	OR	OFF	2008/09/30 20:30
S146	56	automat\$3 same workflow\$1 same (access near2 control \$4) same (user\$1 or profile \$1)	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:23
S147	23	S146 and (@ad<"20010420" @rlad<"20010420")	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:23
S148	2	S147 and @pd>"20080929"	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:23
S149	7016	(defin\$3 or set\$4 or configur \$3) with (profile\$1 or identi \$4) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S150	624	S149 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S151	313	S150 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24

S152	1826	(defin\$3 or set\$4 or configur\$3) with (profile\$1 or ((identi\$4 or ID) near2 user\$1)) same template\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S153	107	S152 and workflow\$1 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S154	664	(defin\$3 or set\$4 or configur\$3) with ((profile\$1 or (identi\$4 or ID)) near2 user\$1) same (template\$1 or workflow)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S155	186	S154 same access\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S156	4398	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S157	166	("simple object access protocol" or soap) and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S158	74	("simple object access protocol" or soap) same (((profile\$1 or (identi\$4 or ID)) near2 user\$1) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S159	582	(set\$4 or configur\$6) near2 access\$3 same (new near2 (identit\$3 or profile\$1 or user\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S160	91	S159 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S161	205	S159 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24

S162	4398	709/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S163	105	S162 and workflow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S164	2136	726/4.ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S165	66	S164 and workflow	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S166	368	workflow\$1 with creat\$3 with (access\$3 or rights or restrict \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S167	67	S166 and @rlad<"20010420"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S168	51	S167 and xml	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/02 15:24
S169	1019	workflow\$1 with template\$1	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S170	178	S169 and @rlad<"20001229"	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S171	94	S170 and xml	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S172	34	S171 and (user near2 profile \$1)	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S173	192	(S151 S153 S155 S157 S158 S160 S161 S163 S165 S166 S168 S172) and @ad<"20010420"	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:24
S174	61	(S151 S153 S155 S157 S158 S160 S161 S163 S165 S166 S168 S172) and (@ad<"20010420" @rlad<"20010420") and @pd>"20071027"	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:35
S175	14	S174 and @pd>"20080929"	US-PGPUB; USPAT	OR	OFF	2009/03/02 15:35

3/ 2/ 09 4:51:49 PM

C:\Documents and Settings\dblair\My Documents\EAST\workspaces\998910.wsp

